




# 2025 PRODUCT GUIDE



# MANAGING PROBLEM WEEDS IN ENLIST E3™ SOYBEANS WITH A PROGRAM APPROACH



THE PROGRAM APPROACH is a **two-pass system** that uses Multiple Modes of Action to effectively control weeds and manage herbicide resistance in **Enlist E3™ soybeans**.

Weed	Modes of Action	Preplant or Pre-emergence with Residual Activity	Post-emergence up to R1 or R2	Benefits
Canada fleabane (glyphosate resistant)	2,4,5,9,10	Canopy™ PRO herbicide Apply as a burndown with glyphosate and a second effective mode of action	Enlist™ 1 + Liberty® 200 SN* OR Enlist 1 + glyphosate	Canada fleabane currently has no known resistance to Group 4 or Group 10 herbicides. Wide application window helps control late flushes.
Waterhemp (glyphosate resistant)	2,4,14 with 9 (glyphosate) or 10 (Liberty)	Diligent™ herbicide	Enlist 1 + glyphosate OR Enlist 1 + Liberty® 200 SN*	Save Groups 4,9,10 for second pass. Waterhemp populations are currently susceptible to both Enlist™ herbicide options.
Field Horsetail	2,4,9	Broadstrike RC + glyphosate + Enlist 1	Enlist 1 + glyphosate	2 effective modes of action on field horsetail (groups 2 and 4). Option for a 2nd in-crop application of Enlist 1. Excellent opportunity to manage this weed in a soybean crop

**Enlist herbicides come with Colex-D™ technology for near-zero volatility and low drift**

**Enlist herbicides** are critical tools enabling post-emergence control, without fear of off-target movement.

Talk with your retailer or download and use the **Field Guide app** to identify solutions for your farming operation.

Learn more at [enlistcanada.ca](http://enlistcanada.ca)



\* \*\* Trademarks of Corteva Agriscience and its affiliated companies. © 2024 Corteva. The transgenic soybean event in Enlist E3™ soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C. LIBERTY is a registered trade-mark of BASF, used under license by BASF Canada Inc. © 2023 BASF Canada Inc. Enlist Duo™ and Enlist™ 1 are the only 2,4-D products authorized for use with Enlist™ crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions.




Brevant® Brand Variety	Technology Segment	Relative Maturity	Crop Heat Units	Harvest Standability	Field Emergence	Phytophthora Gene	Phytophthora Field Tolerance	White Mould	Sudden Death Syndrome	SCN Source	Canopy Width	Plant Height for Maturity	Hila Colour
	1	2			3	4	5	6		7	8	9	10
RATINGS													
<b>B0073EE™</b>		007	2450	8	7*	1C	5*	6	2*	Peking	4*	4	IB
<b>B036CE™</b>		03	2600	8	8	1K	5*	4	4*	PI88788	5*	4	BR
<b>B054EE™</b>		05	2650	7*	7	1K	6*	6	5*	PI88788	6	3	BR
<b>B074HE™</b>		07	2700	7	7	1C	5*	5	3*	NON SCN	5*	4	BR
<b>B103EE™</b>		10	2775	7	7*	1K	5*	6	3*	PI88788	4*	4	TN
<b>B119KE™</b>		11	2800	7	6	None	5	4	5	PI88788	6	4	IB
<b>B144EE™</b>		14	2875	7	7	1K	5*	4	4*	PI88788	6	4	BR
<b>B173EE™</b>		17	2950	7	8	1K,3A		4	5*	PI88788	6	5	BR
<b>B182ME™</b>		18	2975	7	8	1K	4*	5	6	Peking	7	5	BL
<b>B205VE™</b>		20	3025	7	8	1K	4*	4	5	Peking	5*	5	BR
<b>B214EE™</b>		21	3050	7	6	1K	4*	5*	5*	Peking	6	5	BR
<b>B243EE™</b>		24	3125	8	7*	1K	4*	6	6*	Peking	6	5	BR
<b>B253LE™</b>		25	3150	8	7	1K	5*	4	6	PI88788	5*	4	BL
<b>B289TE™</b>		27	3200	6	6	1K	3*	3	5	Peking	5*	4	BL
<b>B283EE™</b>		29	3250	6	7	1K	4*	4	6*	PI88788	5*	5	BL

## NOTES

For complete definitions and disclaimers related to product descriptions, characteristics ratings and disease ratings, and all other information contained herein, **see page 5.**

\* Ratings denoted with an asterisk (\*) reflect preliminary data subject to change when additional data becomes available.

**NEW**



**"First year growing Enlist beans, and it exceeded expectations. Yielded 67 bu/a."**

**Scott Mclean**  
Brevant seeds Enlist E3 soybean grower  
Harrow, ON

# Maximize yield potential with solutions from Corteva Agriscience

Corteva Agriscience is proud to offer leading crop protection solutions, including a complete product lineup for soybeans. This means farmers can manage their soybean acres confidently with Corteva knowledge, technology and solutions.



Complete crop protection starts with matching the best solutions with weed, pest or disease challenges.



PRODUCT	TO MANAGE	RATE	PRE-PLANT	PRE-EMERGENCE	VE	V1	V3	V5	R1	R3	R5	R6	R7
<b>Diligent</b> HERBICIDE	WATERHEMP, ANNUAL WEEDS	70.4 g/ac		Green									
<b>Canopy PRO</b> HERBICIDE	CANADA FLEABANE, ANNUAL WEEDS	14.4 g/ac + 225 g/ac		Green	Green								
<b>Classic</b> HERBICIDE	HARD TO CONTROL WEEDS	14.4 g/ac		Green	Green	Green	Green	Green					
<b>Enlist 1</b> with COOLSTAR <sup>®</sup> technology HERBICIDE	HARD TO CONTROL & RESISTANT WEEDS	0.73 L/ac <sup>1</sup>		Green	Green	Green	Green	Green	Green				
<b>Acapela</b> FUNGICIDE	WHITE MOULD	0.352 L/ac (27 ac/jug)							Purple	Purple			
<b>Vistive</b> Dissipative FUNGICIDE	WHITE MOULD	0.297L/ac (30 ac/jug)							Purple	Purple			
<b>Utrisha N</b> NITROGEN EFFICIENCY	NITROGEN EFFICIENCY	135 g/ac (40 ac/bag)						Blue	Blue	Blue			

<sup>1</sup> For use only in Enlist E3<sup>™</sup> soybeans

● Biological ● Fungicide ● Herbicide

## SOYBEAN FOOTNOTES

All Brevant products denoted with ™ are brand names.

Ratings denoted with an asterisk (\*) reflect preliminary data subject to change when additional data becomes available.

**IMPORTANT:** Trait rating scores provide key information useful in selection and management of Brevant® Brand Products in your area. Information and ratings are based on comparisons with other Brevant brand products, not competitive products. Information and scores are assigned by Corteva Research Managers. Scores are based on period-of-years testing through 2023 harvest and were the latest available at time of printing. Some scores may change after 2023 harvest. Scores represent an average of performance data across areas of adaptation, multiple growing conditions, and a wide range of both climate and soil types and may not predict future results. Individual product responses are variable and subject to a variety of environmental, disease and pest pressures. Please use this information as only one component of your product positioning decision. Refer to [www.brevant.ca](http://www.brevant.ca) or contact your local sales representative for the latest and most complete listing of traits and scores for each Brevant brand product.

**1 TECHNOLOGY SEGMENT:** Enlist Duo™ and Enlist™ 1 are the only 2,4-D products authorized for use with Enlist™ crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions.

**NUMERIC RATINGS:** **9** = Excellent; **1** = Poor; **Blank** = Insufficient Data or variety not tested for that particular trait.

### ALWAYS READ AND FOLLOW PESTICIDE LABEL

**DIRECTIONS.** Roundup Ready® technology contains genes that confer tolerance to glyphosate, an active ingredient in Roundup® brand agricultural herbicides. Agricultural herbicides containing glyphosate will kill crops that are not tolerant to glyphosate.

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit [www.biotradestatus.com](http://www.biotradestatus.com). Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship. The transgenic soybean event in Enlist E3™ soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C.

**2 RELATIVE MATURITY:** Shows the relative maturity group rating, with the first one or two digits representing the general maturity group, and the last digit showing relative maturity within the group on a scale of 0 to 9, with 0 early and 9 late. For example, a soybean product with a relative maturity rating of 008 would be a late product in Group 00 maturity.

**3 FIELD EMERGENCE:** Rating based on speed and strength of emergence in sub-optimal temperatures.

**1-3** = Below Average; **4-6** = Average; **7-9** = Excellent.

### 4 PHYTOPHTHORA RESISTANCE GENE:

**Blank** = No specific gene for resistance.

**RPS1\*\*** = Contains Rps1c or Rps1k Phytophthora resistance

**RPS 1A** = Provides resistance to races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32, 36, 38, 48, 50-52, 54-55

**RPS 1C** = Provides resistance to races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34, 36, 38, 41, 42, 44, 48, 50, 52, 54, 55

**RPS 1K** = Provides resistance to races 1-11, 13-15, 17, 18, 21-24, 26, 36-38, 42-44, 46-55

**RPS 6** = Provides resistance to races 1-4, 10, 12, 14-16, 18-21, 25, 28, 33-35, 38-48, 52-54

**RPS 3A** = Resistant to races 1-5, 8-9, 11, 13-14, 16, 18, 23, 25, 28-29, 31-35, 39-41, 43-45, 47-52, 54

**RPS 3C** = Resistant to races 1-4, 10-16, 18-36, 38-54

**5 PHYTOPHTHORA FIELD TOLERANCE:** Products with high tolerance scores have demonstrated an ability to thrive in the presence of Phytophthora races to which they lack specific resistance. In some products, tolerance is expressed only after the early seedling growth stage, making such products susceptible to damping off during emergence and early seed growth.

**6 WHITE MOULD:** Scores based on Brevant research observations of comparative white mould tolerance among various soybean products across multiple locations and years. All products are capable of developing white mould symptoms under severe infestations. To our knowledge, there are no totally resistant products in the industry. However, differences exist in the ability of products to tolerate white mould (i.e., the rate at which the infection develops and the extent of damage it causes). These scores reflect those differences.

**7 SCN RESISTANCE SOURCE:** There are different sources of genetic resistance to SCN currently deployed in the marketplace: PI88788; PI548402 (also known as Peking)

**8 CANOPY WIDTH:** **9** = Extremely bushy; **1** = Very narrow.

**9 PLANT HEIGHT FOR MATURITY:** **9** = Tall; **1** = Short.

**10 HILA COLOR:** **BL** = Black; **BR** = Brown; **TN** = Tan; **G** = Gray; **IB** = Imperfect black; **BF** = Buff; **Y** = Yellow (Clear); **M** = Mixed.







Corteva Agriscience

Suite 240  
115 Quarry Park Rd SE  
Calgary, AB T2C 5G9

1-800-667-3852

[corteva.ca](http://corteva.ca)  
[brevant.ca](http://brevant.ca)

 [@CortevaCA](https://twitter.com/CortevaCA)

 [@BrevantSeedsCA](https://twitter.com/BrevantSeedsCA)

Not all Brevant® seeds brand products are included in this guide.  
For more information on all products, talk to your local Brevant seeds retailer or visit [www.brevant.ca](http://www.brevant.ca)

Brevant® seeds brand products are provided subject to the terms and conditions of purchase which are part of the labelling and purchase documents.



™® Trademarks of Corteva Agriscience and its affiliated companies. © 2024 Corteva. | 0224-16864

PRINTED IN CANADA